

<https://doi.org/10.30895/1991-2919-2024-14-3-304-316-fig2>




Рисунок подготовлен авторами по собственным данным / The figure is prepared by the authors using their own data

Рис. 2. Примеры хроматограмм холостого образца крови крысы и образца на уровне нижнего предела количественного применения. TFISA – 5-[5-(трифторметил)-1,2-оксазол-3-ил]-фуран-2-сульфонамид; M1 – N-гидрокси-5-[5-(трифторметил)-1,2-оксазол-3-ил]-фуран-2-сульфонамид; M2 – N-ацетил-5-[5-(трифторметил)-1,2-оксазол-3-ил]-фуран-2-сульфонамид; THSA – 5-[2-(морфолин-4-карбонил)-1,3-оксазол-5-ил]-тиофен-2-сульфонамид; QC – хроматограмма контрольного MRM-перехода

Fig. 2. Examples of chromatograms of a blank sample of rat blood and a LLOQ sample. TFISA, 5-[5-(trifluoromethyl)-1,2-oxazole-3-yl]-furan-2-sulfonamide; M1, N-hydroxy-5-[5-(trifluoromethyl)-1,2-oxazole-3-yl]-furan-2-sulfonamide; M2, N-acetyl-5-[5-(trifluoromethyl)-1,2-oxazole-3-yl]-furan-2-sulfonamide; THSA, 5-[2-(morpholine-4-carbonyl)-1,3-oxazole-5-yl]-thiophene-2-sulfonamide; MRM, multiple reaction monitoring; QC, chromatogram of control MRM transitions; LLOQ, lower limit of quantification